

Printing date 30.09.2010

Revision: 29.08.2008

Page 1/6

1 Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: <u>Polygel GA800 W55</u>
- Application of the substance / the preparation Resin for coatings Linoleic Fatty Acid Modified Alkyd Thixotropic Resin
- Manufacturer/Supplier: Polymeric Technology Sdn Bhd Factory B, Lot 2197, Jalan Nuri, Kawasan Tambahan Perindustrian 42500 Telok Panglima Garang, Selangor, Malaysia
- · Further information obtainable from: Product safety department.
- *Information in case of emergency:* +603-3122 8600 enquiry@polymerictechnology.com

### **2** Hazards identification

### · Hazard description:



Xn Harmful

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 10 Flammable.

R 65 Harmful: may cause lung damage if swallowed.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements



H304 - May be fatal if swallowed and enters airways.

# Warning

H226 - Flammable liquid and vapour.

· Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P241 Use explosion-proof electrical/ventilating/lighting/equipment.

· Response:

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

• Storage:

P405 Store locked up.

(Contd. on page 2)

Printing date 30.09.2010

Revision: 29.08.2008

(Contd. of page 1)

### Trade name: Polygel GA800 W55

· Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 3 Composition/information on ingredients

### · Chemical characterization

· Description:

Mixture of substances listed below with nonhazardous additions.

Consist of linoliec fatty acid modified alkyd with nonhazardous potential at 55% by weight

· Dangerous a	components:
---------------	-------------

Dungerous components.		
		25-50%
EINECS: 265-149-8	🗙 Xn; R 65	
	Danger: 🚸 3.10/1	
		2.5-10%
EINECS: 215-535-7	🗙 Xn, 🗙 Xi; R 10-20/21-38	
	Warning: 🚸 2.6/3; ᡧ 3.1.D/4, 3.1.I/4, 3.2/2	
Additional information: For the wording of the listed risk phrases refer to section 16		

• Additional information: For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

### **5** Fire-fighting measures

· Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.

• Measures for environmental protection: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

 Measures for cleaning/collecting: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents

### 7 Handling and storage

· Handling:

- · Information for safe handling:
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke.*

(Contd. on page 3)

GB

Printing date 30.09.2010

Revision: 29.08.2008

(Contd. of page 2)

Trade name: Polygel GA800 W55

Protect against electrostatic charges.

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

• Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep container tightly sealed.

### 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

### 1330-20-7 xylene

WEL Short-term value: 441 mg/m<sup>3</sup>, 100 ppm Long-term value: 220 mg/m<sup>3</sup>, 50 ppm Sk; BMGV

· Additional information: The lists valid during the making were used as basis.

- · Personal protective equipment:
- *General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.*

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties • General Information Form: Fluid Colour: According to product specification Odour: Characteristic • Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 220°C

Printing date 30.09.2010

Revision: 29.08.2008

Trade name: Polygel GA800 W55

	(Contd. of page 3
· Flash point:	40°C
· Ignition temperature:	210°C
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	0.5 Vol %
Upper:	6.5 Vol %
• Vapour pressure at 20°C:	2 hPa
· Density at 25°C:	0.96 g/cm <sup>3</sup>
· Solubility in / Miscibility with	h
water:	Not miscible or difficult to mix.
· Solvent content:	
Organic solvents:	45 %
VOC (EC)	45.00 %
Solids content:	55.0 %

### **10 Stability and reactivity**

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Materials to be avoided:
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: No dangerous decomposition products known.

### **11** Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

### **12 Ecological information**

· Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

### **13 Disposal considerations**

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 5)

GB

300 W55	
	(Contd. of pag
sposal must be made according to official regulations.	
ition	
RID (cross-border)	
3 Flammable liquids.	
1866	
III	
3	
1866 RESIN SOLUTION	
le D/E	
3	
1866	
3	
III	
e: RESIN SOLUTION	
I and IATA-DGR:	
3	
1866	
3	
III	
e: RESIN SOLUTION	
	III 3 1866 RESIN SOLUTION de D/E MDG: MDG: MDG:

## 15 Regulatory information

 $\cdot$  Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

- Code letter and hazard designation of product: Xn Harmful
- *Hazard-determining components of labelling: Distillates (petroleum), hydrotreated light*

(Contd. on page 6)

GB

### Printing date 30.09.2010

Revision: 29.08.2008

(Contd. of page 5)

### Trade name: Polygel GA800 W55

### · Risk phrases:

10 Flammable.

65 Harmful: may cause lung damage if swallowed.

### · Safety phrases:

- 2 Keep out of the reach of children.
- 13 Keep away from food, drink and animal feedingstuffs.
- 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
- 46 If swallowed, seek medical advice immediately and show this container or label.

### · National regulations:

Class	Share in %
NK	45.0

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant R-phrases

10 Flammable.

- 20/21 Harmful by inhalation and in contact with skin.
- *38 Irritating to skin.*
- 65 Harmful: may cause lung damage if swallowed.
- · Department issuing MSDS: Product safety department.
- · Contact: Technical Department
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals

VOC: Volatile Organic Compounds (USA, EU)

GB