

Printing date 30.09.2010 Revision: 02.04.2010

1 Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: Polygel GA807 BP35
- · Application of the substance / the preparation

Resin for coatings

Acrylic Thixotropic Resin

· Manufacturer/Supplier:

Polymeric Technology Sdn Bhd

Factory B, Lot 2197, Jalan Nuri,

Kawasan Tambahan Perindustrian

42500 Telok Panglima Garang,

Selangor, Malaysia

- · Further information obtainable from: Product safety department.
- · Information in case of emergency:

+603-3122 8600

enquiry@polymerictechnology.com

2 Hazards identification

- · Hazard description: Not applicable.
- · Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 10 Flammable.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements



H226 - Flammable liquid and vapour.

· Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

· Response:

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

· Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- · Chemical characterization
- · Description:

Mixture of substances listed below with nonhazardous additions.

Consist of acrylic modified resin with nonhazardous potential at 35% by weight

(Contd. on page 2)

Printing date 30.09.2010 Revision: 02.04.2010

Trade name: Polygel GA807 BP35

(Contd. of page 1)				
· Dangerous components:				
CAS: 84540-57-8	methoxypropyl acetate	R 10	50-100%	
EINECS: 283-152-2		Warning: 🚸 2.6/3		
CAS: 123-86-4	n-butyl acetate	R 10-66-67	2.5-10%	
EINECS: 204-658-1		Warning: 🐠 2.6/3; 🕦 3.8/3		

[·] Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.
- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Do not flush with water or aqueous cleansing agents

7 Handling and storage

- · Handling:
- · Information for safe handling: Ensure ventilation at workplace
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

123-86-4 n-butyl acetate

WEL Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.

(Contd. on page 3)

Printing date 30.09.2010 Revision: 02.04.2010

Trade name: Polygel GA807 BP35

(Contd. of page 2)

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/

the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· General Information		
Form:	Fluid	
Colour:	According to product specification	
Odour:	Characteristic	
· Change in condition		
Melting point/Melting range:		
Boiling point/Boiling range:	124°C	
· Flash point:	27°C	
· Ignition temperature:	333°C	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.	
· Explosion limits:		
Lower:	1.5 Vol %	
Upper:	7.0 Vol %	
· Vapour pressure at 20°C:	4.9 hPa	
· Density:	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Solvent content:		
Organic solvents:	65 %	
VOC (EC)	65.00 %	
Solids content:	35.0 %	

10 Stability and reactivity

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 4)

Printing date 30.09.2010 Revision: 02.04.2010

Trade name: Polygel GA807 BP35

(Contd. of page 3)

- · Materials to be avoided:
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

12 Ecological information

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Land transport ADR/RID (cross-border)



· ADR/RID class: 3 Flammable liquids.

· Danger code (Kemler): 30 · UN-Number: 1866 · Packaging group: III · Hazard label: 3

· Description of goods: 1866 RESIN SOLUTION

· Tunnel restriction code D/E

· Maritime transport IMDG:



· IMDG Class: 3
· UN Number: 1866
· Label 3
· Packaging group: III
· EMS Number: F-E,S-E

(Contd. on page 5)

Printing date 30.09.2010 Revision: 02.04.2010

Trade name: Polygel GA807 BP35

(Contd. of page 4)

· Marine pollutant: No

· Proper shipping name: RESIN SOLUTION

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class: 3 · UN/ID Number: 1866 · Label 3 · Packaging group: III

· Proper shipping name: RESIN SOLUTION

· UN ''Model Regulation'': UN1866, RESIN SOLUTION, 3, III

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Risk phrases:

10 Flammable.

- · Safety phrases:
- 2 Keep out of the reach of children.
- 7/9 Keep container tightly closed and in a well-ventilated place.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 56 Dispose of this material and its container to hazardous or special waste collection point.
- · National regulations:

Class	Share in %
NK	65.0

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant R-phrases

10 Flammable.

66 Repeated exposure may cause skin dryness or cracking.

67 Vapours may cause drowsiness and dizziness.

- · Department issuing MSDS: Product safety department.
- · Contact: Technical Department
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

 $ICAO-TI: Technical\ Instructions\ by\ the\ "International\ Civil\ Aviation\ Organization"\ (ICAO)$

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

VOC: Volatile Organic Compounds (USA, EU)